


KLEVER M/T₂ KR629



Developed for maximum off-road traction, the Klever M/T2 is Kenda's second-generation mud terrain tire, engineered for enthusiasts who demand rugged durability, aggressive styling, and race-proven performance. Backed by years of development and testing across diverse terrains, the M/T2 is built to conquer mud, sand, rocks, and more while maintaining confident on-road handling.

Key Features:

- **Triple Threat 3-Ply Sidewall**
Delivers enhanced protection against punctures and impact damage in extreme conditions.
- **Optimized Off-Road Compound**
Formulated for chip and cut resistance to extend durability in abrasive environments.
- **Podium2Pavement™ Performance**
Race-tested and verified with the same tires used in professional desert and short-course racing.
- **Symmetric Tread Pattern with Interlocking Blocks**
Proprietary design enhances off-road traction and stability.
- **Advanced Ejector Features**
 - Stone, debris, and mud ejectors help maintain tread cleanliness
 - Scalloped shoulder blocks improve lateral grip in deep terrain.
- **Blockchain-Themed Sidewall**
Enhances off-road grip and provides a unique, aggressive visual identity.
- **On-Road Versatility**
Engineered for solid wet and dry handling to maintain control when transitioning between terrains.
- **Styling Options**
Available in stylized Raised Black Letters, with select sizes offered in Raised Red Letters to honor Kenda's racing heritage.



— Klever M/T2
— Competitor B
— Competitor N
— Competitor G



- Interlocking tread pattern with studdable shoulder blocks for outstanding off-road traction
- Optimized void area with stone ejectors enhances mud and off-road grip
- Multi-pitch tread pattern to minimize on-road noise
- Blockchain sidewall protects against cuts, tears and abrasion
- Aggressive staggered shoulder blocks provide traction in loose terrain and impediments
- Robust bead protector shields the bead area and rim from close encounters with trail obstacles



Scan to learn more about the KLEVER M/T2



Size	Service Index	Load Range	KLEVER M/T ₂ Popular Fitments
33x9.50R15LT	113Q	C	69-93 Dodge Ramcharger/W150 O.E.M. Wheels FT • 66-96 Ford Bronco 3"-SS • 69-96 Ford F100/150 3"-SS • 83-88 Ford Ranger 5.5"-SS FT • 89-97 Ford Ranger 5.5"-SS • 67-91 GM Full Size K1500 Pickup/SUV 3"-SS • 88-98 GM K1500 Pickup/SUV 4"-SS WFC • IH Scout II 2"-SS • 55-86 Jeep CJ5/6/7/8 3"-SS • 87-96 Jeep Wrangler YJ 3"-SS • 84-01 Jeep Cherokee/Comanche XJ/MJ 6"-SS • 92-98 Jeep Wagoneer ZJ 3.5"-SS FT • 97-06 Jeep Wrangler TJ/LJ 2"-SS WFC • 99-04 Grand Cherokee WK 3.5"-SS FT • 07-18 Jeep Wrangler JK/JKU 2"-SS WFC • 18-20 Jeep Wrangler JL WFC • 19-21 Jeep Gladiator JT WFC • 69-96 Land Rover-Range Rover 1st Gen 4"-SS • 83-19 Land Rover-Defender 90/110/127 2.5"-SS • 89-04 Land Rover-Discovery Series I/II 4"-SS • 60-84 Toyota Land Crusier FJ40/45 2.5"-SS • 80-90 Toyota Land Cruiser Wagon FJ60 2.5"-SS • 90-98 Toyota Land Cruiser Wagon FJ80 2.5"-SS • 98-07 Toyota Land Cruiser 100 Series Wagon 2.5"-SS • 79-83 Toyota Hilux Pickup 4"-SS • 84-88 Toyota Hilux Pickup/4Runner 4"-SS • 88-97 Toyota Hilux Pickup 4"-SS • 89-95 Toyota 4Runner 2.5"-SS • 96-02 Toyota 4Runner 2.5"-SS WFC • 96-04 Toyota Tacoma 4"-SS WFC
33x10.50R15LT	114Q	C	Plus Size Applications
35x12.50R15LT	113Q	C	69-93 Dodge Ramcharger/W150 5"-SS • 66-77 Ford Bronco 5.5"-SS • 78-79 Ford Bronco 4"-SS • 80-96 Ford Bronco 6"-SS • 66-79 Ford F100/150 4"-SS • 80-96 Ford F150 6"-SS • 83-97 Ford Ranger 5.5"-SS FG-F&B • 67-91 GM Full Size K1500 Pickup/SUV 6"-SS • 88-98 GM K1500 Pickup/SUV 6"-SS WFC • IH Scout II 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS • 87-96 Jeep Wrangler YJ 6"-SS • 84-01 Jeep Cherokee/Comanche XJ/MJ 8"-SS • 92-98 Jeep Wagoneer ZJ 6"-SS FT • 97-06 Jeep Wrangler TJ/LJ 6"-SS WFC • 07-18 Jeep Wrangler JK/JKU 4"-SS WFC • 18-20 Jeep Wrangler JL 4"-SS WFC • 19-21 Jeep Gladiator JT 4"-SS WFC • 69-96 Land Rover-Range Rover 1st Gen 6"-SS • 83-19 Land Rover-Defender 90/110/127 4"-SS • 89-04 Land Rover-Discovery Series I/II 6"-SS • 60-84 Toyota Land Crusier FJ40/45 6"-SS • 98-07 Toyota Land Cruiser 100 Series Wagon 4"-SS • 79-83 Toyota Hilux Pickup 6"-SS • 84-88 Toyota Hilux Pickup/4Runner 6"-SS • 88-97 Toyota Hilux Pickup 6"-SS • 89-95 Toyota 4Runner 6"-SS FT • 96-02 Toyota 4Runner 6"-SS FT WFC • 96-04 Toyota Tacoma 6"-SS WFC
LT235/70R16	104/101R	E	97-03 Ford F-150/04-12 E-Series 150, 72-86 Jeep CJ
*LT265/75R16	123/120R	E	04-10 Chevy Silverado 3500, 00-02 Dodge RAM 2500, 99-04 Ford F-250/F-350 Super Duty, 04-10 GMC Sierra 3500, 12-14 Toyota FJ Cruiser
33x10.50R17LT	121R	E	88-20 GM Full Size Pickup/SUV 1.5" SS, Mounted On O.E.M. Wheels-FT • 94-02 Dodge Ram, Mounted On O.E.M. Wheels • 03-08 Dodge Ram 1500 1.5" SS, Mounted On O.E.M. Wheels-FT • 03-08 Dodge Ram 2500/3500 Mounted On O.E.M. • 09-12 Dodge Ram 1500 1.5" Suspension System, Mounted On O.E.M. • 09-13 Dodge Ram 2500/3500 Mounted On O.E.M. Wheels • 13-20 Dodge Ram 1500 1.5" Suspension System • 14-20 Dodge Ram 2500/3500 Mounted On O.E.M. Wheels • Ford F150/SUV 1.5" Suspension System, Mounted On O.E.M. • 99-20 Ford F250/350 Mounted On O.E.M. Wheels • 04-20 Ford F150/SUV 1.5" Suspension System, Mounted On O.E.M. • 97-06 Jeep Wrangler 1.5" Suspension System, Mounted On O.E.M. • 07-20 Jeep Wrangler 1.5" Suspension System • 04-20 Nissan Frontier, Titan Armada 1.5" Suspension System • 95-20 Toyota Tacoma, Tundra, FJ 1.5" Suspension System
35x10.50R17LT	121R	D	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT • 04-20 Nissan Frontier 6" SS • 04-20 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS • 10-20 Toyota 4Runner 6"-SS FT
33x12.50R17LT	120R	E	05-09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
*35x12.50R17LT	121R	E	97-20 Ford F150 6" SS • 99-20 Ford F250/350 4" SS • 10-20 Ford F150 Raptor • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS • 19-20 GM Full Size K1500 Pickup 6"-SS • 19-20 GM Full Size SUV 6"-SS • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 94-08 Ram 6" SS • 09-18 Ram 1500 6" SS • 19-20 Ram 1500 6"-SS • 94-20 Ram 2500/3500 4"-SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-20 Nissan Frontier 6" SS • 04-20 Nissan Titan/XD 6" SS • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS • 10-20 Toyota 4Runner 6"-SS FT
*37x12.50R17LT	124R	D	97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 97-14 Ford F150 6" SS FGF • 15-20 Ford F150 6" SS • 99-20 Ford F250/350 6" SS • 10-20 Ford F150 Raptor 4" SS • 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 8"-SS • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF • 19-20 GM Full Size K1500 Pickup 6"-SS FGF • 88-11 GM Full Size K2500/*3500 Pickup 6"-SS FGF • 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS • 01-07 GM Full Size K1500/2500 SUV 7"-SS FGF • 07-10 GM Full Size K1500/2500 SUV 7"-SS FGF • 94-08 Ram 6" SS FGF • 09-18 Ram 1500 6" SS FGF • 19-20 Ram 1500 6" SS • 94-13 Ram 2500/3500 6" SS FGF • 14-20 Ram 2500/3500 5" SS • 55-86 Jeep CJ5/6/7/8 6"-SS JAFF • 87-96 Jeep Wrangler YJ 6"-SS JAFF • 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF • 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF • 18-20 Jeep Wrangler JL 4"-SS JAFF • 19-21 Jeep Gladiator JT 4"-SS JAFF • 04-17 Nissan Titan/XD 6" SS FGF • 95-17 Toyota Tacoma 6" SS • 06-20 Toyota Tundra 6" SS FGF • 10-20 Toyota 4Runner 6" SS FGF FT

Size	Service Index	Load Range	KLEVER M/T ₂ Popular Fitments
LT235/80R17	120/117R	E	11-20 Chevy Dually 3500, 03-20 Ram Dually 3500, 11-19 GM Sierra Dually 3500 series
LT245/75R17	121/118R	E	11-20 Chevy 2500 HD series, 10-13 Ford F-150 Heavy Duty/05-20 F-250 Super Duty 2WD-4WD/05-20 F-350 Super Duty 2WD-4WD/ 17-20 F-350 Dually, 11-20 GMC Sierra 2500 HD, 04-07 Nissan Titan XE/16-20 Titan XD/12-20 ND3500 HD
LT265/70R17	121/118R	E	99-2020 Chevy 1500 series, 11-19 Chevy 2500 HD WT, 02-10 Ram1500 series, 03-10 Ram 2500 series, 05-10 Ram 3500 series, 09-20 Ford F-150 4WD, 2017-20 F-250 Super Duty, 1997-2020 GMC 1500 series, 07-14 GMC 2500 HD, 99-10 GMC 35002WD-4WD, 05-15 Nissan XTerra Off-Road/Pro-4X, 09-13 Suzuki Equator, 07-20 Toyota FJ Cruiser/10-17 4-Runner
LT265/65R17	120/117R	E	19-23 Ford Ranger, Plus Size Applications
LT285/70R17	121/118R	E	06-10 Dodge Ram 2500 series, 12-19 Ram 2500 series, 15-17 Ram 1500 Rebel, 08-08 Nissan Armada/Titan SE Off-Road PKG, 09-10 Toyota Tundra TRD
33x10.50R18LT	121R	E	Plus Size Applications
33x12.50R18LT	122R	F	05-09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
*35x12.50R18LT	123R	E	97-20 Ford F150 6" SS · 99-20 Ford F250/350 4" SS · 10-20 Ford F150 Raptor · 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS · 19-20 GM Full Size K1500 Pickup 6"-SS · 19-20 GM Full Size SUV 6"-SS · 88-11 GM Full Size K2500/*3500 Pickup 6"-SS · 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS · 94-08 Ram 6" SS · 09-18 Ram 1500 6" SS · 19-20 Ram 1500 6"-SS · 94-20 Ram 2500/3500 4"-SS · 55-86 Jeep CJ5/6/7/8 6"-SS JAFF · 87-96 Jeep Wrangler YJ 6"-SS JAFF · 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF · 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF · 18-20 Jeep Wrangler JL 4"-SS JAFF · 19-21 Jeep Gladiator JT 4"-SS JAFF · 04-20 Nissan Frontier 6" SS · 04-20 Nissan Titan/XD 6" SS · 95-17 Toyota Tacoma 6" SS · 06-20 Toyota Tundra 6" SS · 10-20 Toyota 4Runner 6"-SS FT
LT265/65R18	122/119R	E	07-20 Chevy 1500 series, 09-20 GMC 1500 various, 08-10 Hummer H3X
LT275/65R18	123/120R	E	09-12 Chevy Colorado Z71 2WD-4WD, 04-20 Ford F-150 series/05-17 Ford F-250 & F-350 Super Duty 2WD-4WD, 07-18 Jeep Wrangler, 06-08 Lincoln MarkLT 4WD, 16-20 Nissan Titan XD series, 07-20 Toyota Tundra/10-20 4-Runner
LT275/70R18	125/122R	E	05-20 Ford F-250 Super Duty 2WD-4WD, 05-20 Ford F-350 Super Duty 2WD-4WD, 14-19 Ram 2500 series/3500 series, 08-15 & 2017-20 Nissant Titan Pro-4X
LT285/75R18	129/126R	E	97-20 Ford F150 6" SS · 99-20 Ford F250/350 4" SS · 10-20 Ford F150 Raptor · 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS · 19-20 GM Full Size K1500 Pickup 6"-SS · 19-20 GM Full Size SUV 6"-SS HO24 · 88-11 GM Full Size K2500/*3500 Pickup 6"-SS · 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS · 94-08 Ram 6" SS · 09-18 Ram 1500 6" SS · 19-20 Ram 1500 6"-SS · 94-20 Ram 2500/3500 4"-SS · 55-86 Jeep CJ5/6/7/8 6"-SS JAFF · 87-96 Jeep Wrangler YJ 6"-SS JAFF · 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF · 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF · 18-20 Jeep Wrangler JL 4"-SS JAFF · 19-21 Jeep Gladiator JT 4"-SS JAFF · 04-20 Nissan Frontier 6"-SS · 04-17 Nissan Titan/XD 6" SS · 95-17 Toyota Tacoma 6"-SS · 06-20 Toyota Tundra 6"-SS · 10-20 Toyota 4Runner 6"-SS FT
33x12.50R20LT	119R	F	05-09 Hummer H3/H3T, 94-09 Ram 2500/3500, 99-09 Ford Super Duty, 96-01 Ford Explorer, 00-05 Ford Excursion, 06-09 Jeep Commander
*35x12.50R20LT	125R	F	97-20 Ford F150 6" SS · 99-20 Ford F250/350 4" SS · 10-20 Ford F150 Raptor · 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS · 19-20 GM Full Size K1500 Pickup 6"-SS · 19-20 GM Full Size SUV 6"-SS HO24 · 88-11 GM Full Size K2500/*3500 Pickup 6"-SS · 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS · 94-08 Ram 6" SS · 09-18 Ram 1500 6" SS · 19-20 Ram 1500 6"-SS · 94-20 Ram 2500/3500 4"-SS · 55-86 Jeep CJ5/6/7/8 6"-SS JAFF · 87-96 Jeep Wrangler YJ 6"-SS JAFF · 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF · 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF · 18-20 Jeep Wrangler JL 4"-SS JAFF · 19-21 Jeep Gladiator JT 4"-SS JAFF · 04-20 Nissan Frontier 6"-SS · 04-17 Nissan Titan/XD 6" SS · 95-17 Toyota Tacoma 6"-SS · 06-20 Toyota Tundra 6"-SS · 10-20 Toyota 4Runner 6"-SS FT
*37x12.50R20LT	128R	F	97-14 Ford F150 6" SS FGF · 15-20 Ford F150 6" SS · 09-20 Ford F150 6" HO20 · 99-20 Ford F250/350 6" SS · 10-20 Ford F150 Raptor 4" SS · 97-14 Ford F150 6" SS FGF · 15-20 Ford F150 6" SS · 99-20 Ford F250/350 6" SS · 10-20 Ford F150 Raptor 4" SS · 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 8"-SS · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF · 19-20 GM Full Size K1500 Pickup 6"-SS FGF · 19-20 GM Full Size K1500 Pickup 6"-SS HO20 · 88-11 GM Full Size K2500/*3500 Pickup 6"-SS FGF · 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS · 01-07 GM Full Size K1500/2500 SUV 7"-SS FGF · 07-10 GM Full Size K1500/2500 SUV 7"-SS FGF · 94-08 Ram 6" SS FGF · 09-18 Ram 1500 6" SS FGF · 19-20 Ram 1500 6" SS · 94-13 Ram 2500/3500 6" SS FGF · 14-20 Ram 2500/3500 5" SS · 55-86 Jeep CJ5/6/7/8 6"-SS JAFF · 87-96 Jeep Wrangler YJ 6"-SS JAFF · 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF · 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF · 18-20 Jeep Wrangler JL 4"-SS JAFF · 19-21 Jeep Gladiator JT 4"-SS JAFF · 04-17 Nissan Titan/XD 6" SS FGF · 95-17 Toyota Tacoma 6" SS · 06-20 Toyota Tundra 6" SS FGF · 10-20 Toyota 4Runner 6" SS FGF FT

KLEVER M/T ₂ Popular Fitments			
Size	Service Index	Load Range	
LT265/50R20	115/112R	E	Plus Size Applications
LT275/55R20	120R	E	03-20 Chevy 1500 series, 02-10 Ram 1500 series, 97-20 Ford F-150 series, 05-20 GMC 1500 series, 07-17 Jeep Wrangler Sahara, 06-08 Lincoln Mark LT/07-20 Navigator, 07-20 Toyota Tundra series/08-20 Sequoia/10-20 4-Runner
LT285/55R20	122R	E	09-13 GMC 1500 series, 04-20 Ford F-150 series, 04-07 Nissan Titan Off-Road PKG - ALL PLUS SIZED
LT285/50R20	119/116R	E	Plus Size Applications
33X12.50R22LT	114R	F	05-09 Hummer H3/H3T, 94-09 Ram 2500/3500, 99-09 Ford Super Duty, 96-01 Ford Explorer, 00-05 Ford Excursion, 06-09 Jeep Commander
35x12.50R22LT	121R	F	97-20 Ford F150 6" SS · 99-20 Ford F250/350 4" SS · 10-20 Ford F150 Raptor · 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS · 19-20 GM Full Size K1500 Pickup 6"-SS · 19-20 GM Full Size SUV 6"-SS HO24 · 88-11 GM Full Size K2500/*3500 Pickup 6"-SS · 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS · 94-08 Ram 6" SS · 09-18 Ram 1500 6" SS · 19-20 Ram 1500 6"-SS · 94-20 Ram 2500/3500 4"-SS · 55-86 Jeep CJ5/6/7/8 6"-SS JAFF · 87-96 Jeep Wrangler YJ 6"-SS JAFF · 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF · 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF · 18-20 Jeep Wrangler JL 4"-SS JAFF · 19-21 Jeep Gladiator JT 4"-SS JAFF · 04-20 Nissan Frontier 6"-SS · 04-17 Nissan Titan/XD 6" SS · 95-17 Toyota Tacoma 6"-SS · 06-20 Toyota Tundra 6"-SS · 10-20 Toyota 4Runner 6"-SS FT
*37x12.50R22LT	127Q	F	97-14 Ford F150 6" SS FGF · 15-20 Ford F150 6" SS · 09-20 Ford F150 6" HO22 · 99-20 Ford F250/350 6" SS · 10-20 Ford F150 Raptor 4" SS · 97-14 Ford F150 6" SS FGF · 15-20 Ford F150 6" SS · 99-20 Ford F250/350 6" SS · 10-20 Ford F150 Raptor 4" SS · 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 8"-SS · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS FGF · 19-20 GM Full Size K1500 Pickup 6"-SS FGF · 19-20 GM Full Size K1500 Pickup 6"-SS HO22 · 88-11 GM Full Size K2500/*3500 Pickup 6"-SS FGF · 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS · 01-07 GM Full Size K1500/2500 SUV 7"-SS FGF · 07-10 GM Full Size K1500/2500 SUV 7"-SS FGF · 94-08 Ram 6" SS FGF · 09-18 Ram 1500 6" SS FGF · 19-20 Ram 1500 6" SS · 94-13 Ram 2500/3500 6" SS FGF · 14-20 Ram 2500/3500 5" SS · 55-86 Jeep CJ5/6/7/8 6"-SS JAFF · 87-96 Jeep Wrangler YJ 6"-SS JAFF · 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF · 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF · 18-20 Jeep Wrangler JL 4"-SS JAFF · 19-21 Jeep Gladiator JT 4"-SS JAFF · 04-17 Nissan Titan/XD 6" SS FGF · 95-17 Toyota Tacoma 6" SS · 06-20 Toyota Tundra 6" SS FGF · 10-20 Toyota 4Runner 6" SS FGF FT
33X12.50R24LT	106Q	F	05-09 Hummer H3/H3T, '94-'09 Ram 2500/3500, '99-'09 Ford Super Duty, '96-'01 Ford Explorer, '00-'05 Ford Excursion, '06-'09 Jeep Commander
35x12.50R24LT	116Q	F	97-20 Ford F150 6" SS · 99-20 Ford F250/350 4" SS · 10-20 Ford F150 Raptor · 67-87 GM 1/2-3/4-1 Ton Pickup/SUV 6"-SS · 88-18 GM Full Size K1500 Pickup/SUV 6"-SS · 19-20 GM Full Size K1500 Pickup 6"-SS · 19-20 GM Full Size SUV 6"-SS HO24 · 88-11 GM Full Size K2500/*3500 Pickup 6"-SS · 11-20 GM Full Size K2500/3500HD Pickup 6.5"-SS · 94-08 Ram 6" SS · 09-18 Ram 1500 6" SS · 19-20 Ram 1500 6"-SS · 94-20 Ram 2500/3500 4"-SS · 55-86 Jeep CJ5/6/7/8 6"-SS JAFF · 87-96 Jeep Wrangler YJ 6"-SS JAFF · 97-06 Jeep Wrangler TJ/LJ 6"-SS JAFF · 07-18 Jeep Wrangler JK/JKU 4"-SS JAFF · 18-20 Jeep Wrangler JL 4"-SS JAFF · 19-21 Jeep Gladiator JT 4"-SS JAFF · 04-17 Nissan Titan/XD 6" SS · 95-17 Toyota Tacoma 6" SS · 06-20 Toyota Tundra 6" SS · 10-20 Toyota 4Runner 6"-SS FT

Shown with
Raised Red
Lettering (RRL)



Shown with
Raised Black
Lettering (RBL)



Notes:
 KLEVER M/T2 KR629
 *Size also available in Raised Red Lettering
 SS-Suspension System, FT-Fender Trimming
 WFC-Wheel Fitment Check, FGF-Fiberglass Fenders
 FG/F&B-Fiberglass Fenders & Bed Sides
 JAFF-Jeep Aftermarket Flat Fenders
 HO20-High Offset 20" Wheels 5.5-6.25" Back Spacing
 HO22-High Offset 22" Wheels 5.5-6.25" Back Spacing
 HO24-High Offset 24" Wheels 5.5-6.25" Back Spacing

